



MADE TO MEASURE STEEL WATER TANKS



MADE TO
MEASURE



QUALITY, STRENGTH, DURABILITY, EFFICIENCY & STYLE OF STEEL



Kingspan Water manufactures and supplies long lasting, quality, made to measure steel water tanks and accessories for Australian homes and businesses. We've been doing it for over 80 years. Tanks come with a 10 year construction warranty* and 20 year warranty* against corrosion.



- » Australian made using quality Bluescope AQUAPLATE® Steel
- » Tanks meet Australian Standard AS4020 for storage of drinking water and carry watermark certification
- » Choose from 4 different steel tank shapes
- » Select from a range of dimensions available, or we offer made to measure tanks to perfectly fit your space
- » Full range of Colorbond® colours available

Your Tank comes with:

- Inlet strainer with light guard
- Fitted overflow with mosquito screen
- Fitted outlet with watermarked brass ball valve
- The ability to select fitting locations on your tank to save time and money on plumbing
- Finished in Galvanised or a Colorbond® colour of your choice
- Delivery to the tank base or concrete pad onsite^
- Industry leading 20 year corrosion warranty* and 10 year construction warranty*

^ Site delivery to Sydney, Melbourne and Brisbane Metro areas included.




Metropolitan delivery to the tank base or concrete pad onsite available - we won't leave the tank on your driveway.^

*All our tanks come with a 10 year construction warranty and 20 year warranty against corrosion.


CHOOSE YOUR TANK IN 5 EASY STEPS

It's important that you get the tank that best suits your particular needs. Kingspan Water tanks are designed to fit perfectly into your space and lifestyle.



SLIMLINE

A great choice for tight spaces, allowing you to maximise the water storage capacity of the area available. Tailor the length, width and height to perfectly fit the space you have. Capacities range from 600 litres up to 8,700 litres.




MODLINE

These water tanks have flat ends, giving them a modern look and a smaller footprint than the equivalent capacity Slimline tank. They help maximise water storage capacity in tight spaces and can be tailored to fit as required. Capacities range from 770 litres up to 9,000 litres.



ROUND

Traditional round water tanks remain a popular choice, space permitting. Choose your diameter and height to perfectly fit the space you have. Capacities range from 500 litres up to 29,000 litres.



SQUARE

The square shape gives these tanks a smaller footprint than the equivalent capacity Slimline or Modline tanks. Capacities range from 560 litres up to 7,900 litres.




STEP
02
SELECT
THE SIZE

Kingspan Water offers hundreds of sizes and dimension variations across all steel water tanks.

MADE TO MEASURE

SLIMLINE - MADE TO MEASURE

Here are some of our most popular tank sizes in the Slimline range.

	2000Litres*	3000Litres*	5000Litres*	7000Litres*
 <p>A great choice for tight spaces, allowing you to maximise the water storage capacity of the area available.</p>	700mmW	800mmW	1150mmW	1150mmW
	1700mmL	2200mmL	2600mmL	3300mmL
	1860mmH	1860mmH	1860mmH	2020mmH
	<ul style="list-style-type: none"> • Good for 336 toilet flushes • 2 hours of hand watering • 25 washing machine loads • Tank weight 65kg 	<ul style="list-style-type: none"> • Good for 509 toilet flushes • 3 hours of hand watering • 38 washing machine loads • Tank weight 90kg 	<ul style="list-style-type: none"> • Good for 839 toilet flushes • 5 hours of hand watering • 62 washing machine loads • Tank weight 110kg 	<ul style="list-style-type: none"> • Good for 1182 toilet flushes • 7 hours of hand watering • 88 washing machine loads • Tank weight 145kg

* Note that maximum capacities differ depending on shape and measurements of tank.



Slimline in Galvanised finish




Modline in Galvanised finish

MADE TO MEASURE

MODLINE - MADE TO MEASURE

Here are some of our most popular tank sizes in the Modline range.

	2000Litres*	3000Litres*	4000Litres*	5000Litres*
 <p>These water tanks have flat ends, giving them a modern look and a smaller footprint than the equivalent capacity Slimline tank.</p>	800mmW	800mmW	800mmW	800mmW
	1400mmL	2000mmL	2600mmL	3200mmL
	2020mmH	2020mmH	2020mmH	2020mmH
	<ul style="list-style-type: none"> • Good for 336 toilet flushes • 2 hours of hand watering • 25 washing machine loads • Tank weight 65kg 	<ul style="list-style-type: none"> • Good for 547 toilet flushes • 3 hours of hand watering • 41 washing machine loads • Tank weight 80kg 	<ul style="list-style-type: none"> • Good for 668 toilet flushes • 4 hours of hand watering • 50 washing machine loads • Tank weight 105kg 	<ul style="list-style-type: none"> • Good for 833 toilet flushes • 5 hours of hand watering • 62 washing machine loads • Tank weight 130kg

* Note that maximum capacities differ depending on shape and measurements of tank.


STEP
02
SELECT THE SIZE

Kingspan Water offers hundreds of sizes and dimension variations across all steel water tanks.

MADE TO MEASURE

ROUND - MADE TO MEASURE

Here are some of our most popular tank sizes in the Round range.

	3000Litres*	5000Litres*	8000Litres*	10000Litres*
 <p>Traditional round water tanks remain a popular choice, space permitting.</p>	1860mmH	1860mmH	1860mmH	1860mmH
	1500mmDia	1900mmDia	2400mmDia	2700mmDia
	<ul style="list-style-type: none"> • Good for 547 toilet flushes • 3 hours of hand watering • 41 washing machine loads • Tank weight 80kg 	<ul style="list-style-type: none"> • Good for 879 toilet flushes • 5 hours of hand watering • 65 washing machine loads • Tank weight 105kg 	<ul style="list-style-type: none"> • Good for 1402 toilet flushes • 8 hours of hand watering • 105 washing machine loads • Tank weight 145kg 	<ul style="list-style-type: none"> • Good for 1775 toilet flushes • 10 hours of hand watering • 133 washing machine loads • Tank weight 170kg

* Note that maximum capacities differ depending on shape and measurements of tank.



Round COLORBOND® Deep Ocean®




Square in Galvanised finish

MADE TO MEASURE

SQUARE - MADE TO MEASURE

Here are some of our most popular tank sizes in the Square range.

	2000Litres*	3000Litres*	4000Litres*	5000Litres*
 <p>The square shape gives these tanks a smaller footprint than the equivalent capacity Slimline or Modline tanks.</p>	1100mmW	1300mmW	1500mmW	1700mmW
	2020mmH	2020mmH	2020mmH	2020mmH
	<ul style="list-style-type: none"> • Good for 336 toilet flushes • 2 hours of hand watering • 25 washing machine loads • Tank weight 65kg 	<ul style="list-style-type: none"> • Good for 509 toilet flushes • 3 hours of hand watering • 38 washing machine loads • Tank weight 90kg 	<ul style="list-style-type: none"> • Good for 668 toilet flushes • 4 hours of hand watering • 50 washing machine loads • Tank weight 105kg 	<ul style="list-style-type: none"> • Good for 960 toilet flushes • 5 hours of hand watering • 72 washing machine loads • Tank weight 115kg

* Note that maximum capacities differ depending on shape and measurements of tank.


**Australian made water tanks using
quality Bluescope AQUAPLATE® Steel.
Made to measure to work with your
space and give you the perfect fit.**



**MADE TO
MEASURE**

STEP
03
SELECT
A COLOUR

Choose from a huge range of Colorbond® colours, or go for a Galvanised steel finish.



Galvanised



Pale Eucalypt®




Paperbark®



Woodland Grey®




Monument®



Dune®



Surfmist®



Windspray®



Jasper®



Classic Cream®



Cove®




Ironstone®



Manor Red®



Cottage Green®




Terrain®



Deep Ocean®



Evening Haze®



Gully™



Basalt™




Night Sky®



Shale Grey™



Mangrove™



Wallaby™

The COLORBOND® steel colour swatches shown have been reproduced to represent actual product colours as accurately as possible. However varying light conditions and limitations of the printing process may affect colour tones. Colorbond® colours are available as genuine or painted colours.

STEP
04
SELECT FITTINGS POSITION

When placing your order you have the option to nominate your fitting locations. The standard fittings available are:



INLET

400mm inlet strainer with light guard fitted in tank lid.



OUTLET


25mm zinc outlet with water-marked brass ball valve fitted at the bottom of the corrugation of the tank wall.



OVERFLOW

90mm (100mm NSW only) overflow with mosquito screen fitted on the top corrugation of the tank wall.

SLIMLINE DEFAULT FITTING POSITION



INLETS

2x400mm Inlet strainers with light guards Positions A & C


OUTLETS

1x25mm fitted outlet with watermarked ball valve Position 6

OVERFLOW

2x90mm (100mm NSW only) fitted overflows with mosquito screen Positions 6 & 12

MODLINE DEFAULT FITTING POSITION



INLETS

2x400mm Inlet strainers with light guards Positions A & C


OUTLETS

1x25mm fitted outlet with watermarked ball valve Position 6

OVERFLOW

2x90mm (100mm NSW only) fitted overflows with mosquito screen Positions 6 & 12

ROUND DEFAULT FITTING POSITION



INLETS

1x400mm fitted Inlet strainer with light guard Position 12


OUTLETS

1x25mm fitted outlet with watermarked ball valve Position 1

OVERFLOW

1x90mm (100mm NSW only) fitted overflow with mosquito screen Position 12

SQUARE DEFAULT FITTING POSITION



INLETS

1x400mm fitted Inlet strainer with light guard Position 12

OUTLETS

1x25mm fitted outlet with watermarked ball valve Position 1

OVERFLOW

1x90mm (100mm NSW only) fitted overflow with mosquito screen Position 12

STEP
05
SELECT ACCESSORIES

Select from a range of accessories and pumps including the Evolution MkIII and High-Flow Filter.

KINGSPAN EVOLUTION MKIII INTEGRATED PUMP SYSTEM

The Evolution MkIII comes with a Grundfos Submersible pump and PM Rain controller as an integrated unit. The Evolution MkIII offers the advantage of dramatically reducing installation time and saving costs, while improving the appearance of your tank system. When the tank runs out of water or when there's a power outage the pump automatically switches to mains water.



HIGH-FLOW FILTER (OPTIONAL)

The innovative High-Flow water filtration system is an Australian first, developed and manufactured exclusively by Kingspan Water. Designed to stop the common issue of overflow flooding, or dampness around the tank, the High-Flow filter is designed to be the best filtration on the market. It has the ability to handle water collection from the entire roof area and can manage water flow rates of up to 600 litres per minute, while still supplying water to the tank and by-passing the remaining volume to the storm water management system.




HANDLES
4x
THE VOLUME OF WATER

KINGSPAN WATER SIZE-A-LATOR

KINGSPANWATER.COM.AU

Can't find what you want?
Visit kingspanwater.com.au and create a custom water tank in less than 60 seconds with the Kingspan Water Size-A-Lator.





WATER TANK ORDER/ENQUIRY FORM




Enquiry - For an Enquiry, tick this box, fill in the Customer Details and send this form to sales.au@kingspan.com

OR


Order - Email completed order form with a copy of the purchase order to sales.au@kingspan.com

01 SHAPE (Refer to page 2)


Slimline




Modline



Round



Square



02 SIZE (Refer to page 3)

Width

Length

Height

03 COLOUR (Refer to page 6)

Galvanised

OR Colorbond® Colour

04 FITTINGS POSITION (Refer to page 7)

Inlets

Default position OR

Outlets

Default position OR

Overflow

Default position OR

05 ACCESSORIES (Refer to page 8)

Evolution MKIII Integrated Pump System

OR Other:

High-Flow Filter box

06 CUSTOMER DETAILS

Date

Purchase Order

Name

Site Address

Email

Phone

Special Instructions

Mobile

**A made to measure steel water tank
maximises water storage capacity
in any space.**



**MADE TO
MEASURE**



NEED A LARGER TANK?

Ask about Kingspan Water's Commercial and Rural ranges of built on-site water tanks - 24,000 to 542,000 litres.



OUR LOCATIONS

We manufacture at each of our three locations:

SYDNEY

02 8889 5400
8 Bessemer Street
Blacktown NSW 2148

BRISBANE

07 3089 1000
93 Magnesium Drive
Crestmead QLD 4132

MELBOURNE

03 8364 0800
860 Cooper Street
Somerton VIC 3062

1300 736 562

kingspanwater.com.au
sales.au@kingspan.com

PRODUCT WARRANTY*

With a Kingspan Water tank, you can rest assured that you have support for the long term. Kingspan Environmental Pty Limited warrants the AQUAPLATE® range of steel water tanks as follows:

- 20 year minimum life prior to perforation due to corrosion, as detailed in the AQUAPLATE® product warranty*.
- 10 year construction warranty* covering the assembly and sealing of the tank.